

Early hominins in north-west Europe: a punctuated long chronology?

Article

Supplemental Material

Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Hosfield, R. ORCID: <https://orcid.org/0000-0001-6357-2805> and Cole, J. (2018) Early hominins in north-west Europe: a punctuated long chronology? *Quaternary Science Reviews*, 190. pp. 148-160. ISSN 0277-3791 doi: <https://doi.org/10.1016/j.quascirev.2018.04.026> Available at <https://centaur.reading.ac.uk/69498/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.quascirev.2018.04.026>

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online



Table 3: Prevailing habitat characteristics in Europe over the last 1.2mya (re-drawn after Kahlke et al., 2011: Fig. 6).

Region	Prevailing habitats (inferred from large mammal communities)				
Apennine Peninsula	High variety of open / forested habitats		Open woodland / steppe		
Iberian Peninsula	Open savannah / lightly forested habitats		Open woodland, tree savannah / steppe		
Western Europe	High variety of open / forested habitats		Woodland / steppe	Variety of open to forested habitats	
Northwest Europe	Woodland		Woodland with open patches / mixed habitats	Steppe / woodland	
Central Europe	High variety of open / forested habitats		Steppe / woodland with open patches	Steppe-tundra / woodland	
Eastern Europe	High variety of forest steppe / open steppe habitats		Open steppe / forest steppe	Steppe-tundra / woodland	
Chronology (mya)	1.2	1.0	0.8	0.6	0.4